

Direct View Pixel Luminaires for Creative Architectural and Media Façade Applications

UniString

UniString is a surface mounted, exterior-rated and compact sized architectural LED direct view string that is designed for architectural and media façade outdoor lighting applications. The robust mechanical design, easy installation and unique optical lenses make UniString ideal for buildings/media facades, bridges, arenas, theaters, amusement parks and recreational centers. Available in white, monochromatic colors, RGB, RGBW and tunable white. Available in symmetrical and asymmetrical optical distributions with DMX control option to give architects and designers the freedom to explore a wide range of concepts and design with no limitations.

Benefits

- Available in three sizes and three power ranges to fit any application requirements.
- Robust Design & IP66 rating for outdoor use.
- Asymmetric beam option available to provide higher efficiency, better visual clearance and reduce lighting pollution in tall buildings and towers
- Through wiring for power and DMX data via IP67 connectors
- Available in track and surface mounting options

Features

- Standard: RGBW, RGB, 2700K, 3000K and 4000K
- Optional 5000K, Monochromatic Colors and Tunable Wh
- Standard pixel pitch of 125mm (center-to-center) for small and medium sizes
- Standard pixel pitch of 200mm (center-to-center) for large size
- Customized mounting tracks available (sold separately)

Application

- Bridges, Monuments, Facades
- Landscape
- Parks and Plazas

Warnings and Safety

- For outdoor use only

Versions



BWS300 4LED



BWS300 4LED



BWS300 4LED



BWS300 4LED



BWS300 4LED



BWS300 4LED



BWS301 3LED



BWS301 3LED


Versions

			
BWS301 3LED	BWS301 3LED	BWS301 3LED	BWS301 3LED
			
BWS301 3LED	BWS301 3LED	BWS301 6LED	BWS301 6LED
			
BWS301 6LED	BWS301 6LED	BWS301 6LED	BWS301 6LED
			
BWS301 6LED	BWS301 6LED	BWS301 6LED	BWS301 6LED

Versions

			
BWS301 6LED	BWS301 6LED	BWS301 6LED	BWS301 6LED
			
BWS301 6LED	BWS301 6LED	BWS301 6LED	BWS302 8LED
			
BWS302 8LED	BWS302 9LED	BWS302 9LED	BWS302 9LED
			
BWS302 9LED	BWS302 8LED	BWS302 8LED	BWS302 8LED

Versions



BWS302 8LED



BWS302 9LED



BWS302 9LED



BWS302 9LED



BWS302 9LED



BWS302 9LED



BWS302 9LED



BWS302 9LED



BWS302 9LED

Approval and application	
Mech. impact protection code	IK06
General information	
CE mark	CE mark
Optical cover/lens type	Polycarbonate bowl/cover clear
Driver included	No
Flammability mark	For mounting on normally flammable surfaces
Glow-wire test	Temperature 750 °C, duration 30 s
Light source replaceable	No
Mechanical and housing	
Color	Black

Application conditions

Order Code	Full Product Name	Maximum dim level
911401752922	BWS300 4LED 27K 15V S N16P12	-
911401752942	BWS300 4LED 27K 15V S DMX N16P12	5%
911401752962	BWS300 4LED 30K 15V S N16P12	-
911401752982	BWS300 4LED 30K 15V S DMX N16P12	5%
911401753002	BWS300 4LED 40K 15V S N16P12	-
911401753022	BWS300 4LED 40K 15V S DMX N16P12	5%
911401752932	BWS300 4LED 27K 15V S TM N16P12	-
911401752952	BWS300 4LED 27K 15V S DMX TM N16P12	5%
911401752972	BWS300 4LED 30K 15V S TM N16P12	-
911401752992	BWS300 4LED 30K 15V S DMX TM N16P12	5%
911401753012	BWS300 4LED 40K 15V S TM N16P12	-
911401753032	BWS300 4LED 40K 15V S DMX TM N16P12	5%
911401753042	BWS300 4LED RGB 15V S DMX N16P12	5%
911401753052	BWS300 4LED RGB 15V S DMX TM N16P12	5%
911401753062	BWS300 4LED RGBNW 15V S DMX N16P12	5%
911401753072	BWS300 4LED RGBNW 15V S DMX TM N16P12	5%
911401753082	BWS301 3LED 27K 15V A LR N16P12	-
911401753102	BWS301 3LED 27K 15V A DMX LR N16P12	5%
911401753162	BWS301 3LED 30K 15V A LR N16P12	-
911401753182	BWS301 3LED 30K 15V A DMX LR N16P12	5%
911401753242	BWS301 3LED 40K 15V A LR N16P12	-
911401753262	BWS301 3LED 40K 15V A DMX LR N16P12	5%
911401753092	BWS301 3LED 27K 15V A TM LR N16P12	-
911401753112	BWS301 3LED 27K 15V A DMX TM LR N16P12	5%
911401753172	BWS301 3LED 30K 15V A TM LR N16P12	-
911401753192	BWS301 3LED 30K 15V A DMX TM LR N16P12	5%
911401753252	BWS301 3LED 40K 15V A TM LR N16P12	-
911401753272	BWS301 3LED 40K 15V A DMX TM LR N16P12	5%
911401753122	BWS301 3LED 27K 15V A TB N16P12	-
911401753142	BWS301 3LED 27K 15V A DMX TB N16P12	5%
911401753202	BWS301 3LED 30K 15V A TB N16P12	-
911401753222	BWS301 3LED 30K 15V A DMX TB N16P12	5%
911401753282	BWS301 3LED 40K 15V A TB N16P12	-
911401753302	BWS301 3LED 40K 15V A DMX TB N16P12	5%
911401753132	BWS301 3LED 27K 15V A TM TB N16P12	-
911401753152	BWS301 3LED 27K 15V A DMX TM TB N16P12	5%
911401753212	BWS301 3LED 30K 15V A TM TB N16P12	-
911401753232	BWS301 3LED 30K 15V A DMX TM TB N16P12	5%
911401753292	BWS301 3LED 40K 15V A TM TB N16P12	-
911401753312	BWS301 3LED 40K 15V A DMX TM TB N16P12	5%
911401753322	BWS301 3LED RGB 15V A DMX LR N16P12	5%
911401753332	BWS301 3LED RGB 15V A DMX TM LR N16P12	5%
911401753342	BWS301 3LED RGB 15V A DMX TB N16P12	5%
911401753352	BWS301 3LED RGB 15V A DMX TM TB N16P12	5%
911401753362	BWS301 6LED 27K 24V S N16P12	-
911401753382	BWS301 6LED 27K 24V S DMX N16P12	5%
911401753402	BWS301 6LED 30K 24V S N16P12	-
911401753422	BWS301 6LED 30K 24V S DMX N16P12	5%
911401753442	BWS301 6LED 40K 24V S N16P12	-
911401753462	BWS301 6LED 40K 24V S DMX N16P12	5%
911401753372	BWS301 6LED 27K 24V S TM N16P12	-

Order Code	Full Product Name	Maximum dim level
911401753392	BWS301 6LED 27K 24V S DMX TM N16P12	5%
911401753412	BWS301 6LED 30K 24V S TM N16P12	-
911401753432	BWS301 6LED 30K 24V S DMX TM N16P12	5%
911401753452	BWS301 6LED 40K 24V S TM N16P12	-
911401753472	BWS301 6LED 40K 24V S DMX TM N16P12	5%
911401753482	BWS301 6LED RGB 24V S DMX N16P12	5%
911401753492	BWS301 6LED RGB 24V S DMX TM N16P12	5%
911401753502	BWS301 6LED RGBNW 15V S DMX N16P12	5%
911401753512	BWS301 6LED RGBNW 15V S DMX TM N16P12	5%
911401753522	BWS301 6LED 27K 24V A LR N16P12	-
911401753542	BWS301 6LED 27K 24V A DMX LR N16P12	5%
911401753602	BWS301 6LED 30K 24V A LR N16P12	-
911401753622	BWS301 6LED 30K 24V A DMX LR N16P12	5%
911401753682	BWS301 6LED 40K 24V A LR N16P12	-
911401753702	BWS301 6LED 40K 24V A DMX LR N16P12	5%
911401753532	BWS301 6LED 27K 24V A TM LR N16P12	-
911401753552	BWS301 6LED 27K 24V A DMX TM LR N16P12	5%
911401753612	BWS301 6LED 30K 24V A TM LR N16P12	-
911401753632	BWS301 6LED 30K 24V A DMX TM LR N16P12	5%
911401753692	BWS301 6LED 40K 24V A TM LR N16P12	-
911401753712	BWS301 6LED 40K 24V A DMX TM LR N16P12	5%
911401753562	BWS301 6LED 27K 24V A TB N16P12	-
911401753582	BWS301 6LED 27K 24V A DMX TB N16P12	5%
911401753642	BWS301 6LED 30K 24V A TB N16P12	-
911401753662	BWS301 6LED 30K 24V A DMX TB N16P12	5%
911401753722	BWS301 6LED 40K 24V A TB N16P12	-
911401753742	BWS301 6LED 40K 24V A DMX TB N16P12	5%
911401753572	BWS301 6LED 27K 24V A TM TB N16P12	-
911401753592	BWS301 6LED 27K 24V A DMX TM TB N16P12	5%
911401753652	BWS301 6LED 30K 24V A TM TB N16P12	-
911401753672	BWS301 6LED 30K 24V A DMX TM TB N16P12	5%
911401753732	BWS301 6LED 40K 24V A TM TB N16P12	-
911401753752	BWS301 6LED 40K 24V A DMX TM TB N16P12	5%
911401753762	BWS301 6LED RGB 24V A DMX LR N16P12	5%
911401753772	BWS301 6LED RGB 24V A DMX TM LR N16P12	5%
911401753782	BWS301 6LED RGB 24V A DMX TB N16P12	5%
911401753792	BWS301 6LED RGB 24V A DMX TM TB N16P12	5%
911401753802	BWS301 6LED RGBNW 15V A DMX LR N16P12	5%
911401753812	BWS301 6LED RGBNW 15V A DMX TM LR N16P12	5%
911401753822	BWS301 6LED RGBNW 15V A DMX TB N16P12	5%
911401753832	BWS301 6LED RGBNW 15V A DMX TM TB N16P12	5%
911401753842	BWS302 8LED 27K 24V S N10P20	-
911401753862	BWS302 8LED 27K 24V S DMX N10P20	5%
911401753882	BWS302 8LED 30K 24V S N10P20	-
911401753902	BWS302 8LED 30K 24V S DMX N10P20	5%
911401753922	BWS302 8LED 40K 24V S N10P20	-
911401753942	BWS302 8LED 40K 24V S DMX N10P20	5%
911401753852	BWS302 8LED 27K 24V S TM N10P20	-
911401753872	BWS302 8LED 27K 24V S DMX TM N10P20	5%
911401753892	BWS302 8LED 30K 24V S TM N10P20	-
911401753912	BWS302 8LED 30K 24V S DMX TM N10P20	5%
911401753932	BWS302 8LED 40K 24V S TM N10P20	-

Order Code	Full Product Name	Maximum dim level
911401753952	BWS302 8LED 40K 24V S DMX TM N10P20	5%
911401753962	BWS302 9LED RGB 24V S DMX N10P20	5%
911401753972	BWS302 9LED RGB 24V S DMX TM N10P20	5%
911401753982	BWS302 9LED RGBNW 24V S DMX N10P20	5%
911401753992	BWS302 9LED RGBNW 24V S DMX TM N10P20	5%
911401754002	BWS302 8LED 27K 24V A LR N10P20	-
911401754022	BWS302 8LED 27K 24V A DMX LR N10P20	5%
911401754082	BWS302 8LED 30K 24V A LR N10P20	-
911401754102	BWS302 8LED 30K 24V A DMX LR N10P20	5%
911401754162	BWS302 8LED 40K 24V A LR N10P20	-
911401754182	BWS302 8LED 40K 24V A DMX LR N10P20	5%
911401754012	BWS302 8LED 27K 24V A TM LR N10P20	-
911401754032	BWS302 8LED 27K 24V A DMX TM LR N10P20	5%
911401754092	BWS302 8LED 30K 24V A TM LR N10P20	-
911401754112	BWS302 8LED 30K 24V A DMX TM LR N10P20	5%
911401754172	BWS302 8LED 40K 24V A TM LR N10P20	-
911401754192	BWS302 8LED 40K 24V A DMX TM LR N10P20	5%
911401754042	BWS302 8LED 27K 24V A TB N10P20	-
911401754062	BWS302 8LED 27K 24V A DMX TB N10P20	5%
911401754122	BWS302 8LED 30K 24V A TB N10P20	-
911401754142	BWS302 8LED 30K 24V A DMX TB N10P20	5%
911401754202	BWS302 8LED 40K 24V A TB N10P20	-
911401754222	BWS302 8LED 40K 24V A DMX TB N10P20	5%
911401754052	BWS302 8LED 27K 24V A TM TB N10P20	-
911401754072	BWS302 8LED 27K 24V A DMX TM TB N10P20	5%
911401754132	BWS302 8LED 30K 24V A TM TB N10P20	-
911401754152	BWS302 8LED 30K 24V A DMX TM TB N10P20	5%
911401754212	BWS302 8LED 40K 24V A TM TB N10P20	-
911401754232	BWS302 8LED 40K 24V A DMX TM TB N10P20	5%
911401754242	BWS302 9LED RGB 24V A DMX LR N10P20	5%
911401754252	BWS302 9LED RGB 24V A DMX TM LR N10P20	5%
911401754262	BWS302 9LED RGB 24V A DMX TB N10P20	5%
911401754272	BWS302 9LED RGB 24V A DMX TM TB N10P20	5%
911401754282	BWS302 9LED RGBNW 24V A DMX LR N10P20	5%
911401754292	BWS302 9LED RGBNW 24V A DMX TM LR N10P20	5%
911401754302	BWS302 9LED RGBNW 24V A DMX TB N10P20	5%
911401754312	BWS302 9LED RGBNW 24V A DMX TM TB N10P20	5%

Controls and dimming

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401752922	BWS300 4LED 27K 15V S N16P12	No	911401753032	BWS300 4LED 40K 15V S DMX TM N16P12	Yes
911401752942	BWS300 4LED 27K 15V S DMX N16P12	Yes	911401753042	BWS300 4LED RGB 15V S DMX N16P12	Yes
911401752962	BWS300 4LED 30K 15V S N16P12	No	911401753052	BWS300 4LED RGB 15V S DMX TM N16P12	Yes
911401752982	BWS300 4LED 30K 15V S DMX N16P12	Yes	911401753062	BWS300 4LED RGBNW 15V S DMX N16P12	Yes
911401753002	BWS300 4LED 40K 15V S N16P12	No	911401753072	BWS300 4LED RGBNW 15V S DMX TM N16P12	Yes
911401753022	BWS300 4LED 40K 15V S DMX N16P12	Yes	911401753082	BWS301 3LED 27K 15V A LR N16P12	No
911401752932	BWS300 4LED 27K 15V S TM N16P12	No	911401753102	BWS301 3LED 27K 15V A DMX LR N16P12	Yes
911401752952	BWS300 4LED 27K 15V S DMX TM N16P12	Yes	911401753162	BWS301 3LED 30K 15V A LR N16P12	No
911401752972	BWS300 4LED 30K 15V S TM N16P12	No	911401753182	BWS301 3LED 30K 15V A DMX LR N16P12	Yes
911401752992	BWS300 4LED 30K 15V S DMX TM N16P12	Yes	911401753242	BWS301 3LED 40K 15V A LR N16P12	No
911401753012	BWS300 4LED 40K 15V S TM N16P12	No	911401753262	BWS301 3LED 40K 15V A DMX LR N16P12	Yes

Order Code	Full Product Name	Dimmable
911401753092	BWS301 3LED 27K 15V A TM LR N16P12	No
911401753112	BWS301 3LED 27K 15V A DMX TM LR N16P12	Yes
911401753172	BWS301 3LED 30K 15V A TM LR N16P12	No
911401753192	BWS301 3LED 30K 15V A DMX TM LR N16P12	Yes
911401753252	BWS301 3LED 40K 15V A TM LR N16P12	No
911401753272	BWS301 3LED 40K 15V A DMX TM LR N16P12	Yes
911401753122	BWS301 3LED 27K 15V A TB N16P12	No
911401753142	BWS301 3LED 27K 15V A DMX TB N16P12	Yes
911401753202	BWS301 3LED 30K 15V A TB N16P12	No
911401753222	BWS301 3LED 30K 15V A DMX TB N16P12	Yes
911401753282	BWS301 3LED 40K 15V A TB N16P12	No
911401753302	BWS301 3LED 40K 15V A DMX TB N16P12	Yes
911401753132	BWS301 3LED 27K 15V A TM TB N16P12	No
911401753152	BWS301 3LED 27K 15V A DMX TM TB N16P12	Yes
911401753212	BWS301 3LED 30K 15V A TM TB N16P12	No
911401753232	BWS301 3LED 30K 15V A DMX TM TB N16P12	Yes
911401753292	BWS301 3LED 40K 15V A TM TB N16P12	No
911401753312	BWS301 3LED 40K 15V A DMX TM TB N16P12	Yes
911401753322	BWS301 3LED RGB 15V A DMX LR N16P12	Yes
911401753332	BWS301 3LED RGB 15V A DMX TM LR N16P12	Yes
911401753342	BWS301 3LED RGB 15V A DMX TB N16P12	Yes
911401753352	BWS301 3LED RGB 15V A DMX TM TB N16P12	Yes
911401753362	BWS301 6LED 27K 24V S N16P12	No
911401753382	BWS301 6LED 27K 24V S DMX N16P12	Yes
911401753402	BWS301 6LED 30K 24V S N16P12	No
911401753422	BWS301 6LED 30K 24V S DMX N16P12	Yes
911401753442	BWS301 6LED 40K 24V S N16P12	No
911401753462	BWS301 6LED 40K 24V S DMX N16P12	Yes
911401753372	BWS301 6LED 27K 24V S TM N16P12	No
911401753392	BWS301 6LED 27K 24V S DMX TM N16P12	Yes
911401753412	BWS301 6LED 30K 24V S TM N16P12	No
911401753432	BWS301 6LED 30K 24V S DMX TM N16P12	Yes
911401753452	BWS301 6LED 40K 24V S TM N16P12	No
911401753472	BWS301 6LED 40K 24V S DMX TM N16P12	Yes
911401753482	BWS301 6LED RGB 24V S DMX N16P12	Yes
911401753492	BWS301 6LED RGB 24V S DMX TM N16P12	Yes
911401753502	BWS301 6LED RGBNW 15V S DMX N16P12	Yes
911401753512	BWS301 6LED RGBNW 15V S DMX TM N16P12	Yes
911401753522	BWS301 6LED 27K 24V A LR N16P12	No
911401753542	BWS301 6LED 27K 24V A DMX LR N16P12	Yes
911401753602	BWS301 6LED 30K 24V A LR N16P12	No
911401753622	BWS301 6LED 30K 24V A DMX LR N16P12	Yes
911401753682	BWS301 6LED 40K 24V A LR N16P12	No
911401753702	BWS301 6LED 40K 24V A DMX LR N16P12	Yes
911401753532	BWS301 6LED 27K 24V A TM LR N16P12	No
911401753552	BWS301 6LED 27K 24V A DMX TM LR N16P12	Yes
911401753612	BWS301 6LED 30K 24V A TM LR N16P12	No
911401753632	BWS301 6LED 30K 24V A DMX TM LR N16P12	Yes
911401753692	BWS301 6LED 40K 24V A TM LR N16P12	No
911401753712	BWS301 6LED 40K 24V A DMX TM LR N16P12	Yes
911401753562	BWS301 6LED 27K 24V A TB N16P12	No
911401753582	BWS301 6LED 27K 24V A DMX TB N16P12	Yes

Order Code	Full Product Name	Dimmable
911401753642	BWS301 6LED 30K 24V A TB N16P12	No
911401753662	BWS301 6LED 30K 24V A DMX TB N16P12	Yes
911401753722	BWS301 6LED 40K 24V A TB N16P12	No
911401753742	BWS301 6LED 40K 24V A DMX TB N16P12	Yes
911401753572	BWS301 6LED 27K 24V A TM TB N16P12	No
911401753592	BWS301 6LED 27K 24V A DMX TM TB N16P12	Yes
911401753652	BWS301 6LED 30K 24V A TM TB N16P12	No
911401753672	BWS301 6LED 30K 24V A DMX TM TB N16P12	Yes
911401753732	BWS301 6LED 40K 24V A TM TB N16P12	No
911401753752	BWS301 6LED 40K 24V A DMX TM TB N16P12	Yes
911401753762	BWS301 6LED RGB 24V A DMX LR N16P12	Yes
911401753772	BWS301 6LED RGB 24V A DMX TM LR N16P12	Yes
911401753782	BWS301 6LED RGB 24V A DMX TB N16P12	Yes
911401753792	BWS301 6LED RGB 24V A DMX TM TB N16P12	Yes
911401753802	BWS301 6LED RGBNW 15V A DMX LR N16P12	Yes
911401753812	BWS301 6LED RGBNW 15V A DMX TM LR N16P12	Yes
911401753822	BWS301 6LED RGBNW 15V A DMX TB N16P12	Yes
911401753832	BWS301 6LED RGBNW 15V A DMX TM TB N16P12	Yes
911401753842	BWS302 8LED 27K 24V S N10P20	No
911401753862	BWS302 8LED 27K 24V S DMX N10P20	Yes
911401753882	BWS302 8LED 30K 24V S N10P20	No
911401753902	BWS302 8LED 30K 24V S DMX N10P20	Yes
911401753922	BWS302 8LED 40K 24V S N10P20	No
911401753942	BWS302 8LED 40K 24V S DMX N10P20	Yes
911401753852	BWS302 8LED 27K 24V S TM N10P20	No
911401753872	BWS302 8LED 27K 24V S DMX TM N10P20	Yes
911401753892	BWS302 8LED 30K 24V S TM N10P20	No
911401753912	BWS302 8LED 30K 24V S DMX TM N10P20	Yes
911401753932	BWS302 8LED 40K 24V S TM N10P20	No
911401753952	BWS302 8LED 40K 24V S DMX TM N10P20	Yes
911401753962	BWS302 9LED RGB 24V S DMX N10P20	Yes
911401753972	BWS302 9LED RGB 24V S DMX TM N10P20	Yes
911401753982	BWS302 9LED RGBNW 24V S DMX N10P20	Yes
911401753992	BWS302 9LED RGBNW 24V S DMX TM N10P20	Yes
911401754002	BWS302 8LED 27K 24V A LR N10P20	No
911401754022	BWS302 8LED 27K 24V A DMX LR N10P20	Yes
911401754082	BWS302 8LED 30K 24V A LR N10P20	No
911401754102	BWS302 8LED 30K 24V A DMX LR N10P20	Yes
911401754162	BWS302 8LED 40K 24V A LR N10P20	No
911401754182	BWS302 8LED 40K 24V A DMX LR N10P20	Yes
911401754012	BWS302 8LED 27K 24V A TM LR N10P20	No
911401754032	BWS302 8LED 27K 24V A DMX TM LR N10P20	Yes
911401754092	BWS302 8LED 30K 24V A TM LR N10P20	No
911401754112	BWS302 8LED 30K 24V A DMX TM LR N10P20	Yes
911401754172	BWS302 8LED 40K 24V A TM LR N10P20	No
911401754192	BWS302 8LED 40K 24V A DMX TM LR N10P20	Yes
911401754042	BWS302 8LED 27K 24V A TB N10P20	No
911401754062	BWS302 8LED 27K 24V A DMX TB N10P20	Yes
911401754122	BWS302 8LED 30K 24V A TB N10P20	No
911401754142	BWS302 8LED 30K 24V A DMX TB N10P20	Yes
911401754202	BWS302 8LED 40K 24V A TB N10P20	No
911401754222	BWS302 8LED 40K 24V A DMX TB N10P20	Yes

Order Code	Full Product Name	Dimmable
911401754052	BWS302 8LED 27K 24V A TM TB N10P20	No
911401754072	BWS302 8LED 27K 24V A DMX TM TB N10P20	Yes
911401754132	BWS302 8LED 30K 24V A TM TB N10P20	No
911401754152	BWS302 8LED 30K 24V A DMX TM TB N10P20	Yes
911401754212	BWS302 8LED 40K 24V A TM TB N10P20	No
911401754232	BWS302 8LED 40K 24V A DMX TM TB N10P20	Yes
911401754242	BWS302 9LED RGB 24V A DMX LR N10P20	Yes

Order Code	Full Product Name	Dimmable
911401754252	BWS302 9LED RGB 24V A DMX TM LR N10P20	Yes
911401754262	BWS302 9LED RGB 24V A DMX TB N10P20	Yes
911401754272	BWS302 9LED RGB 24V A DMX TM TB N10P20	Yes
911401754282	BWS302 9LED RGBNW 24V A DMX LR N10P20	Yes
911401754292	BWS302 9LED RGBNW 24V A DMX TM LR N10P20	Yes
911401754302	BWS302 9LED RGBNW 24V A DMX TB N10P20	Yes
911401754312	BWS302 9LED RGBNW 24V A DMX TM TB N10P20	Yes

General information

Order Code	Full Product Name	Luminaire light beam spread	Light source color
911401752922	BWS300 4LED 27K 15V S N16P12	110° x 110°	Warm white
911401752942	BWS300 4LED 27K 15V S DMX N16P12	110° x 110°	Warm white
911401752962	BWS300 4LED 30K 15V S N16P12	110° x 110°	Warm white
911401752982	BWS300 4LED 30K 15V S DMX N16P12	110° x 110°	Warm white
911401753002	BWS300 4LED 40K 15V S N16P12	110° x 110°	Neutral white
911401753022	BWS300 4LED 40K 15V S DMX N16P12	110° x 110°	Neutral white
911401752932	BWS300 4LED 27K 15V S TM N16P12	110° x 110°	Warm white
911401752952	BWS300 4LED 27K 15V S DMX TM N16P12	110° x 110°	Warm white
911401752972	BWS300 4LED 30K 15V S TM N16P12	110° x 110°	Warm white
911401752992	BWS300 4LED 30K 15V S DMX TM N16P12	110° x 110°	Warm white
911401753012	BWS300 4LED 40K 15V S TM N16P12	110° x 110°	Neutral white
911401753032	BWS300 4LED 40K 15V S DMX TM N16P12	110° x 110°	Neutral white
911401753042	BWS300 4LED RGB 15V S DMX N16P12	110° x 110°	Red, green and blue
911401753052	BWS300 4LED RGB 15V S DMX TM N16P12	110° x 110°	Red, green and blue
911401753062	BWS300 4LED RGBNW 15V S DMX N16P12	110° x 110°	Red, green, blue and white
911401753072	BWS300 4LED RGBNW 15V S DMX TM N16P12	110° x 110°	Red, green, blue and white
911401753082	BWS301 3LED 27K 15V A LR N16P12	85° x 110°	Warm white
911401753102	BWS301 3LED 27K 15V A DMX LR N16P12	85° x 110°	Warm white
911401753162	BWS301 3LED 30K 15V A LR N16P12	85° x 110°	Warm white
911401753182	BWS301 3LED 30K 15V A DMX LR N16P12	85° x 110°	Warm white
911401753242	BWS301 3LED 40K 15V A LR N16P12	85° x 110°	Neutral white

Order Code	Full Product Name	Luminaire light beam spread	Light source color
911401753262	BWS301 3LED 40K 15V A DMX LR N16P12	85° x 110°	Neutral white
911401753092	BWS301 3LED 27K 15V A TM LR N16P12	85° x 110°	Warm white
911401753112	BWS301 3LED 27K 15V A DMX TM LR N16P12	85° x 110°	Warm white
911401753172	BWS301 3LED 30K 15V A TM LR N16P12	85° x 110°	Warm white
911401753192	BWS301 3LED 30K 15V A DMX TM LR N16P12	85° x 110°	Warm white
911401753252	BWS301 3LED 40K 15V A TM LR N16P12	85° x 110°	Neutral white
911401753272	BWS301 3LED 40K 15V A DMX TM LR N16P12	85° x 110°	Neutral white
911401753122	BWS301 3LED 27K 15V A TB N16P12	85° x 110°	Warm white
911401753142	BWS301 3LED 27K 15V A DMX TB N16P12	85° x 110°	Warm white
911401753202	BWS301 3LED 30K 15V A TB N16P12	85° x 110°	Warm white
911401753222	BWS301 3LED 30K 15V A DMX TB N16P12	85° x 110°	Warm white
911401753282	BWS301 3LED 40K 15V A TB N16P12	85° x 110°	Neutral white
911401753302	BWS301 3LED 40K 15V A DMX TB N16P12	85° x 110°	Neutral white
911401753132	BWS301 3LED 27K 15V A TM TB N16P12	85° x 110°	Warm white
911401753152	BWS301 3LED 27K 15V A DMX TM TB N16P12	85° x 110°	Warm white
911401753212	BWS301 3LED 30K 15V A TM TB N16P12	85° x 110°	Warm white
911401753232	BWS301 3LED 30K 15V A DMX TM TB N16P12	85° x 110°	Warm white
911401753292	BWS301 3LED 40K 15V A TM TB N16P12	85° x 110°	Neutral white
911401753312	BWS301 3LED 40K 15V A DMX TM TB N16P12	85° x 110°	Neutral white
911401753322	BWS301 3LED RGB 15V A DMX LR N16P12	85° x 110°	Red, green and blue

Order Code	Full Product Name	Luminaire light beam spread	Light source color
911401753332	BWS301 3LED RGB 15V A DMX TM LR N16P12	85° x 110°	Red, green and blue
911401753342	BWS301 3LED RGB 15V A DMX TB N16P12	85° x 110°	Red, green and blue
911401753352	BWS301 3LED RGB 15V A DMX TM TB N16P12	85° x 110°	Red, green and blue
911401753362	BWS301 6LED 27K 24V S N16P12	110° x 110°	Warm white
911401753382	BWS301 6LED 27K 24V S DMX N16P12	110° x 110°	Warm white
911401753402	BWS301 6LED 30K 24V S N16P12	110° x 110°	Warm white
911401753422	BWS301 6LED 30K 24V S DMX N16P12	110° x 110°	Warm white
911401753442	BWS301 6LED 40K 24V S N16P12	110° x 110°	Neutral white
911401753462	BWS301 6LED 40K 24V S DMX N16P12	110° x 110°	Neutral white
911401753372	BWS301 6LED 27K 24V S TM N16P12	110° x 110°	Warm white
911401753392	BWS301 6LED 27K 24V S DMX TM N16P12	110° x 110°	Warm white
911401753412	BWS301 6LED 30K 24V S TM N16P12	110° x 110°	Warm white
911401753432	BWS301 6LED 30K 24V S DMX TM N16P12	110° x 110°	Warm white
911401753452	BWS301 6LED 40K 24V S TM N16P12	110° x 110°	Neutral white
911401753472	BWS301 6LED 40K 24V S DMX TM N16P12	110° x 110°	Neutral white
911401753482	BWS301 6LED RGB 24V S DMX N16P12	110° x 110°	Red, green and blue
911401753492	BWS301 6LED RGB 24V S DMX TM N16P12	110° x 110°	Red, green and blue
911401753502	BWS301 6LED RGBNW 15V S DMX N16P12	110° x 110°	Red, green, blue and white
911401753512	BWS301 6LED RGBNW 15V S DMX TM N16P12	110° x 110°	Red, green, blue and white
911401753522	BWS301 6LED 27K 24V A LR N16P12	85° x 110°	Warm white
911401753542	BWS301 6LED 27K 24V A DMX LR N16P12	85° x 110°	Warm white
911401753602	BWS301 6LED 30K 24V A LR N16P12	85° x 110°	Warm white
911401753622	BWS301 6LED 30K 24V A DMX LR N16P12	85° x 110°	Warm white
911401753682	BWS301 6LED 40K 24V A LR N16P12	85° x 110°	Neutral white
911401753702	BWS301 6LED 40K 24V A DMX LR N16P12	85° x 110°	Neutral white
911401753532	BWS301 6LED 27K 24V A TM LR N16P12	85° x 110°	Warm white
911401753552	BWS301 6LED 27K 24V A DMX TM LR N16P12	85° x 110°	Warm white

Order Code	Full Product Name	Luminaire light beam spread	Light source color
911401753612	BWS301 6LED 30K 24V A TM LR N16P12	85° x 110°	Warm white
911401753632	BWS301 6LED 30K 24V A DMX TM LR N16P12	85° x 110°	Warm white
911401753692	BWS301 6LED 40K 24V A TM LR N16P12	85° x 110°	Neutral white
911401753712	BWS301 6LED 40K 24V A DMX TM LR N16P12	85° x 110°	Neutral white
911401753562	BWS301 6LED 27K 24V A TB N16P12	85° x 110°	Warm white
911401753582	BWS301 6LED 27K 24V A DMX TB N16P12	85° x 110°	Warm white
911401753642	BWS301 6LED 30K 24V A TB N16P12	85° x 110°	Warm white
911401753662	BWS301 6LED 30K 24V A DMX TB N16P12	85° x 110°	Warm white
911401753722	BWS301 6LED 40K 24V A TB N16P12	85° x 110°	Neutral white
911401753742	BWS301 6LED 40K 24V A DMX TB N16P12	85° x 110°	Neutral white
911401753572	BWS301 6LED 27K 24V A TM TB N16P12	85° x 110°	Warm white
911401753592	BWS301 6LED 27K 24V A DMX TM TB N16P12	85° x 110°	Warm white
911401753652	BWS301 6LED 30K 24V A TM TB N16P12	85° x 110°	Warm white
911401753672	BWS301 6LED 30K 24V A DMX TM TB N16P12	85° x 110°	Warm white
911401753732	BWS301 6LED 40K 24V A TM TB N16P12	85° x 110°	Neutral white
911401753752	BWS301 6LED 40K 24V A DMX TM TB N16P12	85° x 110°	Neutral white
911401753762	BWS301 6LED RGB 24V A DMX LR N16P12	85° x 110°	Red, green and blue
911401753772	BWS301 6LED RGB 24V A DMX TM LR N16P12	85° x 110°	Red, green and blue
911401753782	BWS301 6LED RGB 24V A DMX TB N16P12	85° x 110°	Red, green and blue
911401753792	BWS301 6LED RGB 24V A DMX TM TB N16P12	85° x 110°	Red, green and blue
911401753802	BWS301 6LED RGBNW 15V A DMX LR N16P12	85° x 110°	Red, green, blue and white
911401753812	BWS301 6LED RGBNW 15V A DMX TM LR N16P12	85° x 110°	Red, green, blue and white
911401753822	BWS301 6LED RGBNW 15V A DMX TB N16P12	85° x 110°	Red, green, blue and white
911401753832	BWS301 6LED RGBNW 15V A DMX TM TB N16P12	85° x 110°	Red, green, blue and white
911401753842	BWS302 8LED 27K 24V S N10P20	110° x 110°	Warm white
911401753862	BWS302 8LED 27K 24V S DMX N10P20	110° x 110°	Warm white

Order Code	Full Product Name	Luminaire light beam spread	Light source color
911401753882	BWS302 8LED 30K 24V S N10P20	110° x 110°	Warm white
911401753902	BWS302 8LED 30K 24V S DMX N10P20	110° x 110°	Warm white
911401753922	BWS302 8LED 40K 24V S N10P20	110° x 110°	Neutral white
911401753942	BWS302 8LED 40K 24V S DMX N10P20	110° x 110°	Neutral white
911401753852	BWS302 8LED 27K 24V S TM N10P20	110° x 110°	Warm white
911401753872	BWS302 8LED 27K 24V S DMX TM N10P20	110° x 110°	Warm white
911401753892	BWS302 8LED 30K 24V S TM N10P20	110° x 110°	Warm white
911401753912	BWS302 8LED 30K 24V S DMX TM N10P20	110° x 110°	Warm white
911401753932	BWS302 8LED 40K 24V S TM N10P20	110° x 110°	Neutral white
911401753952	BWS302 8LED 40K 24V S DMX TM N10P20	110° x 110°	Neutral white
911401753962	BWS302 9LED RGB 24V S DMX N10P20	110° x 110°	Red, green and blue
911401753972	BWS302 9LED RGB 24V S DMX TM N10P20	110° x 110°	Red, green and blue
911401753982	BWS302 9LED RGBNW 24V S DMX N10P20	110° x 110°	Red, green, blue and white
911401753992	BWS302 9LED RGBNW 24V S DMX TM N10P20	110° x 110°	Red, green, blue and white
911401754002	BWS302 8LED 27K 24V A LR N10P20	85° x 110°	Warm white
911401754022	BWS302 8LED 27K 24V A DMX LR N10P20	85° x 110°	Warm white
911401754082	BWS302 8LED 30K 24V A LR N10P20	85° x 110°	Warm white
911401754102	BWS302 8LED 30K 24V A DMX LR N10P20	85° x 110°	Warm white
911401754162	BWS302 8LED 40K 24V A LR N10P20	85° x 110°	Neutral white
911401754182	BWS302 8LED 40K 24V A DMX LR N10P20	85° x 110°	Neutral white
911401754012	BWS302 8LED 27K 24V A TM LR N10P20	85° x 110°	Warm white
911401754032	BWS302 8LED 27K 24V A DMX TM LR N10P20	85° x 110°	Warm white
911401754092	BWS302 8LED 30K 24V A TM LR N10P20	85° x 110°	Warm white
911401754112	BWS302 8LED 30K 24V A DMX TM LR N10P20	85° x 110°	Warm white

Order Code	Full Product Name	Luminaire light beam spread	Light source color
911401754172	BWS302 8LED 40K 24V A TM LR N10P20	85° x 110°	Neutral white
911401754192	BWS302 8LED 40K 24V A DMX TM LR N10P20	85° x 110°	Neutral white
911401754042	BWS302 8LED 27K 24V A TB N10P20	85° x 110°	Warm white
911401754062	BWS302 8LED 27K 24V A DMX TB N10P20	85° x 110°	Warm white
911401754122	BWS302 8LED 30K 24V A TB N10P20	85° x 110°	Warm white
911401754142	BWS302 8LED 30K 24V A DMX TB N10P20	85° x 110°	Warm white
911401754202	BWS302 8LED 40K 24V A TB N10P20	85° x 110°	Neutral white
911401754222	BWS302 8LED 40K 24V A DMX TB N10P20	85° x 110°	Neutral white
911401754052	BWS302 8LED 27K 24V A TM TB N10P20	85° x 110°	Warm white
911401754072	BWS302 8LED 27K 24V A DMX TM TB N10P20	85° x 110°	Warm white
911401754132	BWS302 8LED 30K 24V A TM TB N10P20	85° x 110°	Warm white
911401754152	BWS302 8LED 30K 24V A DMX TM TB N10P20	85° x 110°	Warm white
911401754212	BWS302 8LED 40K 24V A TM TB N10P20	85° x 110°	Neutral white
911401754232	BWS302 8LED 40K 24V A DMX TM TB N10P20	85° x 110°	Neutral white
911401754242	BWS302 9LED RGB 24V A DMX LR N10P20	85° x 110°	Red, green and blue
911401754252	BWS302 9LED RGB 24V A DMX TM LR N10P20	85° x 110°	Red, green and blue
911401754262	BWS302 9LED RGB 24V A DMX TB N10P20	85° x 110°	Red, green and blue
911401754272	BWS302 9LED RGB 24V A DMX TM TB N10P20	85° x 110°	Red, green and blue
911401754282	BWS302 9LED RGBNW 24V A DMX LR N10P20	85° x 110°	Red, green, blue and white
911401754292	BWS302 9LED RGBNW 24V A DMX TM LR N10P20	85° x 110°	Red, green, blue and white
911401754302	BWS302 9LED RGBNW 24V A DMX TB N10P20	85° x 110°	Red, green, blue and white
911401754312	BWS302 9LED RGBNW 24V A DMX TM TB N10P20	85° x 110°	Red, green, blue and white

Initial performance (IEC compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401752922	BWS300 4LED 27K 15V S N16P12	2700 K	80	67 lm
911401752942	BWS300 4LED 27K 15V S DMX N16P12	2700 K	80	50 lm
911401752962	BWS300 4LED 30K 15V S N16P12	3000 K	80	67 lm
911401752982	BWS300 4LED 30K 15V S DMX N16P12	3000 K	80	50 lm
911401753002	BWS300 4LED 40K 15V S N16P12	4000 K	80	71 lm
911401753022	BWS300 4LED 40K 15V S DMX N16P12	4000 K	80	53 lm
911401752932	BWS300 4LED 27K 15V S TM N16P12	2700 K	80	67 lm
911401752952	BWS300 4LED 27K 15V S DMX TM N16P12	2700 K	80	50 lm
911401752972	BWS300 4LED 30K 15V S TM N16P12	3000 K	80	67 lm
911401752992	BWS300 4LED 30K 15V S DMX TM N16P12	3000 K	80	50 lm
911401753012	BWS300 4LED 40K 15V S TM N16P12	4000 K	80	71 lm
911401753032	BWS300 4LED 40K 15V S DMX TM N16P12	4000 K	80	53 lm
911401753042	BWS300 4LED RGB 15V S DMX N16P12	- K	-	20 lm
911401753052	BWS300 4LED RGB 15V S DMX TM N16P12	- K	-	20 lm
911401753062	BWS300 4LED RGBNW 15V S DMX N16P12	- K	-	26 lm
911401753072	BWS300 4LED RGBNW 15V S DMX TM N16P12	- K	-	26 lm
911401753082	BWS301 3LED 27K 15V A LR N16P12	2700 K	80	51 lm
911401753102	BWS301 3LED 27K 15V A DMX LR N16P12	2700 K	80	46 lm
911401753162	BWS301 3LED 30K 15V A LR N16P12	3000 K	80	51 lm
911401753182	BWS301 3LED 30K 15V A DMX LR N16P12	3000 K	80	46 lm
911401753242	BWS301 3LED 40K 15V A LR N16P12	4000 K	80	55 lm
911401753262	BWS301 3LED 40K 15V A DMX LR N16P12	4000 K	80	49 lm
911401753092	BWS301 3LED 27K 15V A TM LR N16P12	2700 K	80	51 lm
911401753112	BWS301 3LED 27K 15V A DMX TM LR N16P12	2700 K	80	45 lm
911401753172	BWS301 3LED 30K 15V A TM LR N16P12	3000 K	80	51 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401753192	BWS301 3LED 30K 15V A DMX TM LR N16P12	3000 K	80	45 lm
911401753252	BWS301 3LED 40K 15V A TM LR N16P12	4000 K	80	55 lm
911401753272	BWS301 3LED 40K 15V A DMX TM LR N16P12	4000 K	80	48 lm
911401753122	BWS301 3LED 27K 15V A TB N16P12	2700 K	80	51 lm
911401753142	BWS301 3LED 27K 15V A DMX TB N16P12	2700 K	80	46 lm
911401753202	BWS301 3LED 30K 15V A TB N16P12	3000 K	80	51 lm
911401753222	BWS301 3LED 30K 15V A DMX TB N16P12	3000 K	80	46 lm
911401753282	BWS301 3LED 40K 15V A TB N16P12	4000 K	80	55 lm
911401753302	BWS301 3LED 40K 15V A DMX TB N16P12	4000 K	80	49 lm
911401753132	BWS301 3LED 27K 15V A TM TB N16P12	2700 K	80	51 lm
911401753152	BWS301 3LED 27K 15V A DMX TM TB N16P12	2700 K	80	45 lm
911401753212	BWS301 3LED 30K 15V A TM TB N16P12	3000 K	80	51 lm
911401753232	BWS301 3LED 30K 15V A DMX TM TB N16P12	3000 K	80	45 lm
911401753292	BWS301 3LED 40K 15V A TM TB N16P12	4000 K	80	55 lm
911401753312	BWS301 3LED 40K 15V A DMX TM TB N16P12	4000 K	80	48 lm
911401753322	BWS301 3LED RGB 15V A DMX LR N16P12	- K	-	15 lm
911401753332	BWS301 3LED RGB 15V A DMX TM LR N16P12	- K	-	15 lm
911401753342	BWS301 3LED RGB 15V A DMX TB N16P12	- K	-	15 lm
911401753352	BWS301 3LED RGB 15V A DMX TM TB N16P12	- K	-	15 lm
911401753362	BWS301 6LED 27K 24V S N16P12	2700 K	80	101 lm
911401753382	BWS301 6LED 27K 24V S DMX N16P12	2700 K	80	76 lm
911401753402	BWS301 6LED 30K 24V S N16P12	3000 K	80	101 lm
911401753422	BWS301 6LED 30K 24V S DMX N16P12	3000 K	80	76 lm
911401753442	BWS301 6LED 40K 24V S N16P12	4000 K	80	108 lm
911401753462	BWS301 6LED 40K 24V S DMX N16P12	4000 K	80	81 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401753372	BWS301 6LED 27K 24V S TM N16P12	2700 K	80	101 lm
911401753392	BWS301 6LED 27K 24V S DMX TM N16P12	2700 K	80	76 lm
911401753412	BWS301 6LED 30K 24V S TM N16P12	3000 K	80	101 lm
911401753432	BWS301 6LED 30K 24V S DMX TM N16P12	3000 K	80	76 lm
911401753452	BWS301 6LED 40K 24V S TM N16P12	4000 K	80	108 lm
911401753472	BWS301 6LED 40K 24V S DMX TM N16P12	4000 K	80	81 lm
911401753482	BWS301 6LED RGB 24V S DMX N16P12	- K	-	48 lm
911401753492	BWS301 6LED RGB 24V S DMX TM N16P12	- K	-	48 lm
911401753502	BWS301 6LED RGBNW 15V S DMX N16P12	- K	-	41 lm
911401753512	BWS301 6LED RGBNW 15V S DMX TM N16P12	- K	-	40 lm
911401753522	BWS301 6LED 27K 24V A LR N16P12	2700 K	80	87 lm
911401753542	BWS301 6LED 27K 24V A DMX LR N16P12	2700 K	80	77 lm
911401753602	BWS301 6LED 30K 24V A LR N16P12	3000 K	80	87 lm
911401753622	BWS301 6LED 30K 24V A DMX LR N16P12	3000 K	80	77 lm
911401753682	BWS301 6LED 40K 24V A LR N16P12	4000 K	80	92 lm
911401753702	BWS301 6LED 40K 24V A DMX LR N16P12	4000 K	80	82 lm
911401753532	BWS301 6LED 27K 24V A TM LR N16P12	2700 K	80	87 lm
911401753552	BWS301 6LED 27K 24V A DMX TM LR N16P12	2700 K	80	77 lm
911401753612	BWS301 6LED 30K 24V A TM LR N16P12	3000 K	80	87 lm
911401753632	BWS301 6LED 30K 24V A DMX TM LR N16P12	3000 K	80	77 lm
911401753692	BWS301 6LED 40K 24V A TM LR N16P12	4000 K	80	92 lm
911401753712	BWS301 6LED 40K 24V A DMX TM LR N16P12	4000 K	80	82 lm
911401753562	BWS301 6LED 27K 24V A TB N16P12	2700 K	80	87 lm
911401753582	BWS301 6LED 27K 24V A DMX TB N16P12	2700 K	80	77 lm
911401753642	BWS301 6LED 30K 24V A TB N16P12	3000 K	80	87 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401753662	BWS301 6LED 30K 24V A DMX TB N16P12	3000 K	80	77 lm
911401753722	BWS301 6LED 40K 24V A TB N16P12	4000 K	80	92 lm
911401753742	BWS301 6LED 40K 24V A DMX TB N16P12	4000 K	80	82 lm
911401753572	BWS301 6LED 27K 24V A TM TB N16P12	2700 K	80	87 lm
911401753592	BWS301 6LED 27K 24V A DMX TM TB N16P12	2700 K	80	77 lm
911401753652	BWS301 6LED 30K 24V A TM TB N16P12	3000 K	80	87 lm
911401753672	BWS301 6LED 30K 24V A DMX TM TB N16P12	3000 K	80	77 lm
911401753732	BWS301 6LED 40K 24V A TM TB N16P12	4000 K	80	92 lm
911401753752	BWS301 6LED 40K 24V A DMX TM TB N16P12	4000 K	80	82 lm
911401753762	BWS301 6LED RGB 24V A DMX LR N16P12	- K	-	41 lm
911401753772	BWS301 6LED RGB 24V A DMX TM LR N16P12	- K	-	41 lm
911401753782	BWS301 6LED RGB 24V A DMX TB N16P12	- K	-	41 lm
911401753792	BWS301 6LED RGB 24V A DMX TM TB N16P12	- K	-	41 lm
911401753802	BWS301 6LED RGBNW 15V A DMX LR N16P12	- K	-	40 lm
911401753812	BWS301 6LED RGBNW 15V A DMX TM LR N16P12	- K	-	40 lm
911401753822	BWS301 6LED RGBNW 15V A DMX TB N16P12	- K	-	40 lm
911401753832	BWS301 6LED RGBNW 15V A DMX TM TB N16P12	- K	-	40 lm
911401753842	BWS302 8LED 27K 24V S N10P20	2700 K	80	142 lm
911401753862	BWS302 8LED 27K 24V S DMX N10P20	2700 K	80	132 lm
911401753882	BWS302 8LED 30K 24V S N10P20	3000 K	80	142 lm
911401753902	BWS302 8LED 30K 24V S DMX N10P20	3000 K	80	132 lm
911401753922	BWS302 8LED 40K 24V S N10P20	4000 K	80	151 lm
911401753942	BWS302 8LED 40K 24V S DMX N10P20	4000 K	80	151 lm
911401753852	BWS302 8LED 27K 24V S TM N10P20	2700 K	80	142 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401753872	BWS302 8LED 27K 24V S DMX TM N10P20	2700 K	80	132 lm
911401753892	BWS302 8LED 30K 24V S TM N10P20	3000 K	80	142 lm
911401753912	BWS302 8LED 30K 24V S DMX TM N10P20	3000 K	80	132 lm
911401753932	BWS302 8LED 40K 24V S TM N10P20	4000 K	80	151 lm
911401753952	BWS302 8LED 40K 24V S DMX TM N10P20	4000 K	80	140 lm
911401753962	BWS302 9LED RGB 24V S DMX N10P20	- K	-	31 lm
911401753972	BWS302 9LED RGB 24V S DMX TM N10P20	- K	-	31 lm
911401753982	BWS302 9LED RGBNW 24V S DMX N10P20	- K	-	53 lm
911401753992	BWS302 9LED RGBNW 24V S DMX TM N10P20	- K	-	53 lm
911401754002	BWS302 8LED 27K 24V A LR N10P20	2700 K	80	126 lm
911401754022	BWS302 8LED 27K 24V A DMX LR N10P20	2700 K	80	112 lm
911401754082	BWS302 8LED 30K 24V A LR N10P20	3000 K	80	126 lm
911401754102	BWS302 8LED 30K 24V A DMX LR N10P20	3000 K	80	112 lm
911401754162	BWS302 8LED 40K 24V A LR N10P20	4000 K	80	134 lm
911401754182	BWS302 8LED 40K 24V A DMX LR N10P20	4000 K	80	123 lm
911401754012	BWS302 8LED 27K 24V A TM LR N10P20	2700 K	80	126 lm
911401754032	BWS302 8LED 27K 24V A DMX TM LR N10P20	2700 K	80	112 lm
911401754092	BWS302 8LED 30K 24V A TM LR N10P20	3000 K	80	126 lm
911401754112	BWS302 8LED 30K 24V A DMX TM LR N10P20	3000 K	80	112 lm
911401754172	BWS302 8LED 40K 24V A TM LR N10P20	4000 K	80	134 lm
911401754192	BWS302 8LED 40K 24V A DMX TM LR N10P20	4000 K	80	123 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401754042	BWS302 8LED 27K 24V A TB N10P20	2700 K	80	126 lm
911401754062	BWS302 8LED 27K 24V A DMX TB N10P20	2700 K	80	112 lm
911401754122	BWS302 8LED 30K 24V A TB N10P20	3000 K	80	126 lm
911401754142	BWS302 8LED 30K 24V A DMX TB N10P20	3000 K	80	112 lm
911401754202	BWS302 8LED 40K 24V A TB N10P20	4000 K	80	134 lm
911401754222	BWS302 8LED 40K 24V A DMX TB N10P20	4000 K	80	123 lm
911401754052	BWS302 8LED 27K 24V A TM TB N10P20	2700 K	80	126 lm
911401754072	BWS302 8LED 27K 24V A DMX TM TB N10P20	2700 K	80	112 lm
911401754132	BWS302 8LED 30K 24V A TM TB N10P20	3000 K	80	126 lm
911401754152	BWS302 8LED 30K 24V A DMX TM TB N10P20	3000 K	80	112 lm
911401754212	BWS302 8LED 40K 24V A TM TB N10P20	4000 K	80	134 lm
911401754232	BWS302 8LED 40K 24V A DMX TM TB N10P20	4000 K	80	123 lm
911401754242	BWS302 9LED RGB 24V A DMX LR N10P20	- K	-	50 lm
911401754252	BWS302 9LED RGB 24V A DMX TM LR N10P20	- K	-	50 lm
911401754262	BWS302 9LED RGB 24V A DMX TB N10P20	- K	-	50 lm
911401754272	BWS302 9LED RGB 24V A DMX TM TB N10P20	- K	-	50 lm
911401754282	BWS302 9LED RGBNW 24V A DMX LR N10P20	- K	-	53 lm
911401754292	BWS302 9LED RGBNW 24V A DMX TM LR N10P20	- K	-	53 lm
911401754302	BWS302 9LED RGBNW 24V A DMX TB N10P20	- K	-	53 lm
911401754312	BWS302 9LED RGBNW 24V A DMX TM TB N10P20	- K	-	53 lm

